

# PRODUCT CATALOG

## Meistro kodas UAB Product catalog

GREENHOUSES

GREENHOUSE ACCESSORIES

RAISED SEEDBEDS



CANOPIES

INSULATING TAPES

AND OTHER GOODS

— A NEW APPROACH TO QUALITY









# A NEW APPROACH TO QUALITY



## MEISTRO KODAS

Meistro kodas UAB is one of the largest retail and wholesale traders in Lithuania, which manufactures greenhouses and their accessories, raised seedbeds, canopies. The company also **specializes** in the production and processing of plastic and metal products.



## ABOUT THE COMPANY

We started as a small family business back in 2010, and today we are happy with the development of the business and are proud to be known for **the quality** of Meistro Kodas. Our partners trust our logistics and product quality. **We guarantee** competitive prices and flexibility.



## WE ARE STABLE AND WE ARE GROWING

Our warehousing, production and administrative premises occupy as much as **12,000 m<sup>2</sup>**, but this number is changing rapidly - the company's expansion reaches **20% every year** and the construction of new warehousing and production premises is currently underway!



# WE ARE MANUFACTURERS

## METAL PROFILES AND METAL PROCESSING SERVICES

We process about **5,000 tons** of metal every year - for this reason, we have certain quantities of processed metal profiles ready in our warehouses and we have the ability to produce products immediately after ordering. Fully automated metalworking lines that bend, cut, make holes for screws and prepare profiles as needed. We use only certified materials, carry out regular quality checks and produce product samples for customers to make the decision easier. In 2023 "KIWA INSPECTA", a well-known and recognized certification company throughout Europe, officially granted our company the CE marking certificate to galvanized metal profiles.


## PRODUCTION OF LITHUANIAN GREENHOUSES

**50,000 is our number.** We produce this amount of greenhouses per year. Many years of greenhouse production experience allowed us to optimize greenhouse production - usage of quality raw materials, process control and knowledge accumulated over more than 14 years allowed us to improve products and guarantee quality to consumers. We are the creators and manufacturers of **KLASIKA** and **BALTIC LT** greenhouses, which are known not only in Lithuania, but also throughout Europe.

## PRODUCTION OF GREENHOUSE ACCESSORIES, CANOPIES, RAISED SEEDBEDS

We manufacture not only greenhouses, but also raised seedbeds, greenhouse accessories and even canopies above the doors! In the production of all our products, special attention is paid to **quality, functionality and comfort**. Our products are **laser-marked** according to trademarks, which confirms to the user that he has purchased an authentic, high-quality product, of which we, the Meistro Kodas team, are proud of!

we process  
**5000**  
tons of metal  
annually



we produce  
**50 000**  
greenhouses per year



# GREENHOUSES KLASIKA

Your guarantee of a rich harvest



9

MODELS OF  
GREENHOUSES

DETAILED

INSTALLATION  
MANUAL



PROTECTION  
10-YEAR  
WARRANTY

LARGE  
VARIETY OF  
ACCESSORIES



EN 1090-1:2009+A1:2011

We recommend purchasing KLASIKA greenhouses to those who value quality and durability. These are among the strongest greenhouses produced by construction for amateur and professional gardening. The strength of the structure allows you to tie plants (climbing tomatoes, cucumbers) to the frame of the greenhouse, and to hang pots and shelves. KLASIKA greenhouse profiles are made of 78 mm wide steel strips. Greenhouses are assembled with M5 screws. Metal strips are cut with guillotines. The zinc thickness of the profiles is 275gr/m<sup>2</sup>, which meets **extremely high quality requirements**. Greenhouses are covered with European 4 or 6 mm BRETT MARTIN channel polycarbonate coating, which

is guaranteed for even 10 years against harmful UV rays!

The greenhouses of UAB "MEISTRO KODAS" have been **granted a CE marking certificate** issued by UAB "KIWA inspecta". Based on this certificate, we declare that during the production process we comply with EXC2 performance class according to **EN 1090-1:2009+A1:2011**, galvanized steel, according to **En10346: DX51D+Z**.







## KLASIKA ARCHED

The traditional arched greenhouse KLASIKA is one of the strongest and most popular greenhouses on the market.

**In addition to the greenhouse, you can also choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.

### BASIC SPECIFICATIONS

TYPE	Arched
WIDTH	3 m
HEIGHT	2,18 m
LENGHT	Base - 2 arba 4 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	Yes, 10 cm
PROFILE	Omega
DISTANCE BETWEEN ARCHES	67 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally

### BASIC SPECIFICATIONS

TYPE	Drop shaped
WIDTH	2,5 m
HEIGHT	2,45 m
LENGHT	Base - 2 arba 4 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	Yes, 10 cm
PROFILE	Omega
DISTANCE BETWEEN ARCHES	67 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	In the front
SUNROOF	Yes, quantity depends from length



## STANDART KLASIKA

The STANDART KLASIKA greenhouse with an exclusive design is a modern, compact and strong greenhouse, which, due to its shape and tall frame, is particularly suitable for growing tall plants.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.





## KLASIKA HOUSE

KLASIKA HOUSE is a modern, house-shaped greenhouse, perfect for growing various crops. In this type of greenhouse, it is possible to optimally use its entire area.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.

### BASIC SPECIFICATIONS

TYPE	House shaped
WIDTH	2,35 m
HEIGHT	2,35 m
LENGHT	Base - 2,12 or 3,17 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	Yes, 10 cm
PROFILE	Omega
DISTANCE BETWEEN ARCHES	50 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally

### BASIC SPECIFICATIONS

TYPE	House shaped
WIDTH	2,35 m
HEIGHT	2,35 m
LENGHT	Base - 2 m Extension 1 m
FRAME	1 mm thick galvanized metal
FOUNDATION	No
PROFILE	Omega
DISTANCE BETWEEN ARCHES	99 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally



## KLASIKA BERNARD

New in the assortment of Lithuanian greenhouses KLASIKA - greenhouse KLASIKA BERNARD. It is a modern, reliable and durable house-shaped greenhouse.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.





## BALTIC LT

Arch type greenhouse BALTIC LT is a spacious and wide greenhouse, which stands out for its excellent price-quality ratio. This is one of the most popular greenhouses in the entire range.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.

### BASIC SPECIFICATIONS

TYPE	Arched
WIDTH	3 m
HEIGHT	2,10 m
LENGHT	Base - 2 or 4 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	No
PROFILE	Omega
DISTANCE BETWEEN ARCHES	100 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally

### BASIC SPECIFICATIONS

TYPE	Arched
WIDTH	3 m
HEIGHT	2,18 m
LENGHT	Base - 2 or 4 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	Yes, 10 cm
PROFILE	Square tube (20x20 mm width)
DISTANCE BETWEEN ARCHES	67 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally



## KLASIKA TUBE

High-quality arch greenhouse KLASIKA TUBE, which stands out from other KLASIKA greenhouses with its tubular profile. It is an extremely spacious and wide greenhouse, assembled with a special "KRAB" system.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.





## KLASIKA DROP

The economic drop-shaped greenhouse for those who are looking for not only durable but also unique greenhouse.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.

### BASIC SPECIFICATIONS

TYPE	Drop shaped
WIDTH	2,5 m
HEIGHT	2,45 m
LENGHT	Base - 2 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	No
PROFILE	Omega
DISTANCE BETWEEN ARCHES	100 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally

### BASIC SPECIFICATIONS

TYPE	Arched
WIDTH	2 m
HEIGHT	2,10 m
LENGHT	Base - 2 m Extension 2 m
FRAME	1 mm thick galvanized metal
FOUNDATION	No
PROFILE	Omega
DISTANCE BETWEEN ARCHES	100 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally



## KLASIKA SLIM

The KLASIKA Slim greenhouse with its compact design is perfect for those who don't have much space for a greenhouse or those who want a smaller greenhouse.

**In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.





## KLASIKA EASY

The KLASIKA EASY greenhouse is a new product in the KLASIKA range of greenhouses. A special method is used to connect the arches that allows you to connect tubes quickly and without welding.

### **In addition to the greenhouse, you can choose:**

Sunroofs with automatic openers, additional doors at the back, shelves, plant ties, track separation, raised beds, watering systems as needed.

### BASIC SPECIFICATIONS

TYPE	Arched
WIDTH	3 m
HEIGHT	2,10 m
LENGHT	Base - 2 or 4 m Extension 2 m
FRAME	Galvanized metal
FOUNDATION	No
PROFILE	Square tube (20x20 mm width)
DISTANCE BETWEEN ARCHES	67 cm
GROUND ATTACHMENTS	Each arch is let into ground about 35 cm
POLYCARBONATE THICKNESS	4 or 6 mm (10-year warranty for UV)
DOOR	In the front
AIR VENT	2 psc - in the front and back
SUNROOF	Ordered additionally



Representative photo of the "BALTIC LT" greenhouse.




# GREENHOUSE ACCESSORIES

We offer an extremely wide range of accessories for KLASIKA greenhouses, thanks to which gardening will become an even more pleasant and convenient activity!

## IN THE ASSORTMENT YOU WILL FIND

- TRACK SEPARATIONS
- ADDITIONAL DOORS, AIR VENTS
- PLANT BINDING SETS
- SUNROOFS
- AUTOMATIC OPENERS
- SHELVES
- IRRIGATION SYSTEMS
- WATER TANKS
- SEEDBED SETS FOR GREENHOUSES
- MAINTENANCE SOLUTIONS




### TRACK SEPARATIONS, SEEDBED SETS

- Regular or U-shaped metal track separations.
- Metal seedbed sets for each model of greenhouses.



### ADDITIONAL DOORS, AIR VENTS

- Installed at the back of the greenhouse, available by greenhouse model.
- With polycarbonate or without.



### PLANT BINDING SETS

- For tying tall plants in the greenhouse for support.
- Ordered according to the length of the greenhouse.



## SUNROOFS AND AUTOMATIC OPENERS

- For additional ventilation.
- Can be used with automatic openers.
- Available by greenhouse model.



THERMOVENT VENTOMAX UNIVENT

The fluid in the piston expands as the temperature rises and automatically pushes the piston out. As the temperature cools down, the automation closes. **No electricity required.**



## GREENHOUSE MAINTENANCE SOLUTIONS

### CONCENTRATED PRODUCT FOR GREENHOUSE MAINTENANCE (DISINFECTION)


Kills bacteria, viruses, fungi

### UNIVERSAL CONCENTRATED SURFACE CLEANER

For all glass, polycarbonate, plastic surfaces - greenhouses, fences, canopies, outdoor furniture.

### GREENHOUSE SHADING SOLUTION

For polycarbonate, glass, film



### GREENHOUSE SHELVES

- Type: hanging.
- Width: ~45 cm
- Available length: 75, 105, 200 cm



### IRRIGATION SYSTEMS

- Can be capillary or drip - directly into the plant root.
- Connected to water mains, or gravity.



### WATER TANKS

- Suitable for irrigation systems.
- With or without base.
- Many different capacities and different design.



# RAISED SEEDBEDS KLASIKA GARDEN



Raised seedbeds are getting more and more popular among professional and amateur gardeners. These seedbeds have strong sides that provide stability and raise the level of the cultivated land, so there is **no need to bend down as much**. With a raised seedbed, the soil does not fall apart at the edges and the bed keeps its shape, and there is **no need to weed the sloping edges**. Raised beds give the garden aesthetics and order.

The seedbeds are also **widely used in case of infertile soil** - after filling the beds with fertile soil, compost or soil mixture, any kind of vegetables, plants or spices can be grown. In the spring, the **soil in the seedbeds warms up faster**, so planting can be started earlier.



CAN BE  
INSTALLED IN  
GREENHOUSES



BRINGS ORDER  
AND AESTHETICS  
TO THE GARDEN



CAN BE USED IN  
CASE OF INFERTILE  
SOIL



SOIL WARMS UP  
FASTER - EARLY  
HARVEST



UAB "MEISTRO KODAS" metal raised beds **have a CE marking certificate issued by UAB "KIWA inspecta"**. Based on this certificate, we declare that during the production process we comply with EXC2 performance class according to **EN 1090-1:2009+A1:2011**, galvanized steel, according to **En10346: DX51D+Z**.



EN 1090-1:2009+A1:2011 UAB „Kiwa Inspecta“

**WE PRODUCE AND PAINT SEEDBEDS ACCORDING TO INDIVIDUAL ORDERS!**



# METAL SEEDBEDS

## KLASIKA GARDEN

AESTHETIC APPEARANCE

STRONG AND STABLE  
CONSTRUCTIONDOESN'T REQUIRE MUCH  
MAINTENANCE

LONG-TERM



### RAISED SEEDBED WITH COVER

The raised bed cover is a versatile cover that is suitable for covering raised seedbeds as well as for use as a greenhouse/nursery. Cover and raised seedbed are sold separately.

**DIMENSIONS:** 151 x 78 x 44 cm



### METAL GALVANIZED RAISED SEEDBED

- Made of 1 mm thick galvanized metal profiles;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 150 x 75 x 30 | 190 x 90 x 20 cm  
190 x 50 x 20 cm | 150 x 50 x 20 cm



RAL 7016

RAL 8017

### METAL PAINTED RAISED SEEDBED

- Made of 1 mm thick galvanized metal profiles;
- Painted according to RAL colors, powder method;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 150 x 75 x 30 cm



## KLASIKA GARDEN –

Your guarantee of a rich harvest



# METAL SEEDBEDS

## KLASIKA GARDEN

AESTHETIC APPEARANCE

STRONG AND STABLE  
CONSTRUCTIONDOESN'T REQUIRE MUCH  
MAINTENANCE

LONG-TERM



**METAL MODULAR RAISED SEEDBED  
"STAIRS"**

- Made of 1 mm thick galvanized metal profiles;
- Painted according to RAL colors, powder method;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 225 x 75 cm (h = 30, 40, 50 cm)



**NURSERY/SEEDBED**

- Intended for germination of early vegetables;
- Covered with 4 mm polycarbonate coating;
- Easy to assemble and carry if needed.

**DIMENSIONS:** 100 x 93 x 38 cm



**METAL MODULAR RAISED SEEDBED,  
L-FORM**

- Made of 1 mm thick galvanized metal profiles;
- Painted according to RAL colors, powder method;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 150 x 150 x 75 x 75 x 30 cm



**KLASIKA GARDEN –**  
Your guarantee of a rich harvest



# METAL SEEDBEDS

## KLASIKA GARDEN

AESTHETIC APPEARANCE

STRONG AND STABLE  
CONSTRUCTIONDOESN'T REQUIRE MUCH  
MAINTENANCE

LONG-TERM




Raised seedbeds in greenhouses are a great choice for those who want to add aesthetics and tidiness to the greenhouse space. These **seedbeds have strong sides that provide stability and raise the level of the cultivated land**, so there is no need to bend down as much. With a raised seedbed, **the soil does not fall apart at the edges** and the seedbed keeps its shape, also there is no need to weed the sloping edges.

- CREATES AN AESTHETIC AND TIDY SPACE
- NO NEED TO WEED THE EDGES OF THE SEEDBEDS
- NO NEED TO BEND DOWN AS MUCH
- INSTALLED ACCORDING TO THE WIDTH OF THE GREENHOUSE (3M OR 2,35-2,5 M)
- CERTIFIED PRODUCTION

### SEEDBED DIMENSIONS

0,9 x 1,9 m	0,5 x 1,9 m
0,5 x 1,5 m	h = 0,1 or 0,2 m

- ! Seedbed sets are suitable for all models of KLASIKA greenhouses and greenhouses of other manufacturers.



**KLASIKA GARDEN –**  
Your guarantee of a rich harvest



# GPPS SEEDBEDS

## KLASIKA WOODLOOK

AESTHETIC APPEARANCE

STRONG AND STABLE  
CONSTRUCTIONDOESN'T REQUIRE MUCH  
MAINTENANCE

LONG-TERM



### GPPS RAISED SEEDBED KLASIKA WOODLOOK

- Wood imitation seedbed surface;
- Two colors are available: brown and anthracite;
- The mounting corners are dug into the ground.


**DIMENSIONS:** 150 x 75 x 30 cm



The raised seedbed KLASIKA Woodlook is made of GPPS material. This **material is 100% recyclable**. The product consists of 2 main components - GPPS and HIPS. It is one of the most sustainable types of plastic, which can be recycled many times. The surface of the **product is covered with a UV stabilizer**, so it is suitable for outdoor use in all weather conditions!



Brown



Anthracite



### GPPS RAISED MODULAR SEEDBED KLASIKA WOODLOOK, L-FORM

- Wood imitation seedbed surface;
- Two colors are available: brown and anthracite;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 146 x 146 x 75 x 75 x 30 cm



### GPPS RAISED MODULAR SEEDBED KLASIKA WOODLOOK „STAIRS“

- Wood imitation seedbed surface;
- Two colors are available: brown and anthracite;
- The mounting corners are dug into the ground.

**DIMENSIONS:** 75 x 217 cm (h = 30 x 40 x 50 cm)



## GPPS KLASIKA Woodlook planks

GPPS KLASIKA Woodlook planks are extremely strong, aesthetic and high-quality planks used for outdoor decoration, terraces, etc.

With these planks, we can make you a raised seedbed according to an individual order and design, or you can use the planks for decoration and other projects.

MOISTURE RESISTANT

EASY MAINTENANCE

RESISTANT TO UV RAYS  
AND TEMPERATURE  
CHANGES



# Canopies StarkeDACH

Long-term protection against wind and precipitation!




**StarkeDACH**

**Brett Martin**

StarkeDACH canopies are high-quality and durable canopies covered with polycarbonate or organic glass (PMMA). **The strong aluminum construction and UV resistance of polycarbonate (and organic glass) ensure the durability of the canopy.** Three types of canopies are produced: arched, curved and straight. The modern design will match any exterior.

- Stable powder-coated aluminum construction;
- Covered with 6 mm European polycarbonate coating (transparent or bronze) or organic glass;
- Long-term protection against precipitation and UV rays;
- Easy and simple installation;
- With gutter;
- With rubber gasket.




**WE CAN MANUFACTURE CANOPIES ACCORDING TO INDIVIDUAL DIMENSIONS, PAINT THEM HOWEVER YOU WANT AND LASER YOUR LOGO!**



## Arched canopy R-1 60 **StarkeDACH**

**160 x 100 x 35 cm**



The canopy is screwed on at the wall

Rubber gasket

With gutter




### CONSTRUCTION COLORS

RAL 7016

RAL 8017

RAL 7035

### COATING COLORS




### CONSTRUCTION COLORS

RAL 7016

RAL 8017

RAL 7035

### COATING COLORS



## Curved canopy L-1 60 **StarkeDACH**


**160 x 100 x 25 cm**



Rubber gasket

The canopy is fixed by support bracket to the wall

With gutter




### CONSTRUCTION COLORS

RAL 7016

RAL 8017

RAL 7035

### COATING COLORS



## Straight canopy T-1 60 **StarkeDACH**

**160 x 100 x 30 cm**




Rubber gasket

The canopy is fixed by support bracket to the wall

With gutter






**RODEO** canopy R-150**150 x 70 x 20 cm****CONSTRUCTION COLORS**

RAL 7016

RAL 8017


RAL 7035

**COATING COLORS****CONSTRUCTION COLORS**

RAL 7016

RAL 8017

RAL 7035

**Straight canopy T-152 StarkeDACH**  
with organic glass coating (PMMA)**152 x 100 x 30 cm****Walls for canopies StarkeDACH**

Additional protection against wind, rain and other precipitation. Adaptable to canopy type and sides (left/right).

**APPLICATION:**


- NEAR OUTSIDE DOOR;
- NEAR GARAGE DOOR;
- ON THE SIDES OF BALCONIES;
- ON THE SIDES OF WINDOWS;

**DIMENSIONS**  
180 x 70-30 cm**CONSTRUCTION COLORS**

RAL 7016

RAL 8017

RAL 7035

**COATING COLORS**



# Insulating tapes StarkeDACH

**StarkeDACH**

## FOR OUTDOOR AND INDOOR WORK

Sound insulation, cushioning tape, used in the installation of gypsum board supporting profiles and partitions.

One side of the tape is adhesive, which we glue to the perimeter profiles UD (for ceilings and walls) or UW (frames).

**Thickness: 3 mm****Roll length: 30 m****Available widths: 30, 50, 70, 95 mm****POSSIBILITY OF PURCHASING NON-STANDARD DIMENSIONS INSULATION TAPES!**



# KETER outdoor furniture

**KETER**

An extremely wide selection of high-quality KETER outdoor furniture. In our assortment you can find: outdoor furniture sets, storage boxes, garden houses, benches, composters, raised beds-pots. We are the official distributor of KETER in Lithuania.

[www.keter-lifestyle.com](http://www.keter-lifestyle.com)



Outdoor  
furniture sets



Storage boxes



Garden sheds



Benches



Composters




Raised seedbeds,  
pots




# GRASS-LAWN GRID

Soil and grass reinforcement grid



Green



Black



Protects the ground's surface from erosion, pothole formation, landslides on slopes. The product components are non-hazardous, environmentally friendly and 100% recyclable.

## DIMENSIONS:

49,2 x 49,2 x 3,9 cm

## MATERIAL:

100% recyclable polyethylene (HDPE)

QUICKLY INSTALLED

NO HARM TO LAWNS

100% RECYCLABLE

! One square meter consists of 4.4 units of grass grid.



## APPLICATION:

- For walkways in parks, at construction sites;
- For the protection of road edges and slopes;
- For greening of water bodies and various slopes;
- For golf courses, horse farms and hippodromes;
- For embankment and slope protection at various water bodies;
- For garden paths, parking lots;





## Metal barrier-ring

Metal barrier-ring KLASIKA GARDEN is used to separate plants around trees, bushes, flower beds, in order to separate different soils. The ring is made of galvanized 1.5 mm metal.

<b>COLOR</b>	coloured, galvanized metal
<b>HEIGHT</b>	13 cm
<b>DIAMETER</b>	50 cm



## FENCE STRIPS Mikko Rattan



Fence strips **MIKKO RATTAN** are made of durable and UV-resistant PP, thickness ~1200 g/m<sup>2</sup>. The strips are perfect for mesh and 3D, 2D segmental fences, balconies and other partitions. Three main colors: brown, graphite, green. Wide or narrow bands. Fence strips are maintenance-free and long-lasting. Since the strips are resistant to a wide range of climatic conditions, they are ideal for our climate with large temperature fluctuations.

- The strips are easy to install;
- Outstanding appearance, does not fade;
- Very resistant to UV rays and atmospheric effects;
- Excellent protection against wind and noise;
- Ensures privacy and comfort.






Roll length	12,75 m
Roll width	19 cm, 4,75 cm
Strip thickness	1200 g/m <sup>2</sup>










# PVC tent Expafol

EXPAFOL

Transparent	Tinted	Checkered	Colored
 <p>SPANISH QUALITY</p>		<p><b>PVC tent</b> is a high-quality material that is resistant to moisture, abrasion and wear. These awnings have extremely good mechanical properties - tensile, tearing.</p> <ul style="list-style-type: none"> <li>Friendly to nature;</li> <li>Spanish quality;</li> <li>UV protected;</li> <li>Resistant to decay;</li> <li>Airtight, watertight;</li> <li>Protection from wind, rain;</li> <li>Flexible;</li> <li>Strong;</li> <li>Suitable for press;</li> <li>Can be sewn, glued, melted.</li> </ul>	
		 <p>TRANSPARENT</p>	
		 <p>TINTED</p>	
		 <p>COLORLED</p>	
		 <p>CHECKERED</p>	

## Water resistant fabrics

MIRANDA  
FABRICS

**MK Miranda Fabrics** – are extremely high-quality fabrics that are perfect for outdoor furniture upholstery, bean bags, outdoor curtains, swings, sunbeds, various patio covers, and pet beds.

Made in ES	Water repellent
Easy to process	Does not absorb moisture
Certified production	17 colors



WATER  
RESISTANT



WATER  
REPELLENT


### Grammage:

179 g/m<sup>2</sup> | 288 g/m<sup>2</sup>

### Fabric composition:

100% polyester

Width: 1,6 m





## MK PC diam<sup>6</sup>nds wavy terrace roof sheets

The **wavy diamond sheet structure** is a distinctive feature of MK PC Diamonds polycarbonate sheets. The hexagonal raised surface gives the sheets a unique, exclusive look. MK PC Diamonds are extremely strong, corrugated sheets of monolithic polycarbonate. 2.8 mm thick sheets are stronger than other types of plastics, with the highest load-bearing properties. Naturally transparent sheets provide exceptional light transmission. Sheets covered with a UV-resistant layer are resistant to temperature fluctuations and long-term weathering.



200 TIMES STRONGER THAN GLASS



IMPACT RESISTANT



PROTECTION AGAINST UV RAYS





RESISTANT TO TEMPERATURE CHANGES



HIGH LIGHT TRANSMISSION

**Sheet width:** 1,045 m  
**Sheet lengths:** 2, 3, 4, 6 m  
**Sheet thickness:** 2,8 mm  
**Profile:** SINUS 76/18



## MK PC diam<sup>6</sup>nds tiled terrace roof sheets

**MK PC Diamonds Tile Effect** - extremely strong and flexible monolithic polycarbonate sheets with an attractive diamond relief pattern, **made by the order of "Meistro kudas", according to an exclusive and unique matrix**, taking into account the customer's needs and the angle of inclination. Sheets with a thickness of 2.8 mm are strong and rigid, which ensures high load resistance and a long service life. These sheets are characterized by long-term protection against UV rays, as well as a high coefficient of sunlight transmission. These sheets are used to cover the roof of the terrace, water does not stay on the sheets. The polycarbonate also perfectly withstands temperature fluctuations.



200 TIMES STRONGER THAN GLASS



IMPACT RESISTANT



PROTECTION AGAINST UV RAYS





RESISTANT TO TEMPERATURE CHANGES



HIGH LIGHT TRANSMISSION

**Sheet width:** 0,954 m  
 (covered 0,900 m)  
**Sheet lengths:** 2, 3, 4, 6 m  
**Sheet thickness:** 2,8 mm  
**Profile:** Tile  
**Minimum slope:** 9°











A NEW APPROACH TO QUALITY

## YOU WILL FIND US:

### LITHUANIA

JSC „Meistro kodas“  
Jonavos str. 250, Kaunas, LT-44132  
Kumės str. 8, Stantaičiai, LT-53285  
Laisvės pr. 82, Vilnius, LT-06125  
export@meistrokodas.lt  
+370 602 33365

### LATVIA

SIA „Baumera“  
Visku street 2 K-1, Riga, LV-1063  
sales@baumera.lv  
+371 295 55176



MEISTRO KODAS  
[www.meistrokodas.lt](http://www.meistrokodas.lt)

SHOP ONLINE!

[WWW.BAUMERA.LT](http://WWW.BAUMERA.LT)



A NEW APPROACH TO QUALITY